# ARKIGEO

Arkigeo draws inspiration from the beauty that the Earth patiently creates through the long cycles of geological time. Born from the combination of shells, sedimentary layers, and subtle veins, the

forces of nature create limestone as an intricate palette of sands in harmonious and naturalistic shades. The final look is organic and the color palette is balanced and serene. We are stocking the 12x24, 24x48, and 3" Hexagon. There is also a Decorative in 12x24 called Patina that coordinates with all 6 colors. Arkigeo is suitable for residential and commercial use.








Colors are intended as a guide only and may vary from actual tile. Sizes listed are nominal. Please check samples before making final selection and to get actual dimensions for layout.

### **Colors**



Arena (MCAOAA)



**Product Information** 

Luce (MCAOLE)



Libra (MCAOLA)



Carbona (MCAOCA)



Cenere (MCAOCE)



Rupe (MCAORE)

# Sizes (Rectified)

12 x 24 MCAO--/1224 24 x 48 MCAO--/2448

### Mosaic

3" Hex MCAO--/3HX



3" Hex - Full sheet

## Trim

The surface bullnose is made from field tile that is cut, ground and reglazed.

3 x 24 Surface Bullnose MCAO--/SBN

## Usage

Arkigeo is suitable for both residential and commercial installations.

### Installation

To attain the proper mix of graphics and color it is important to pull from multiple boxes during installation, rotate pieces, and note the placement of the different images to get the proper final blend.

Most tile manufacturers recommend a maximum offset of 8" (20 cm) on all large format tiles when setting a running bond. Please refer to ANSI requirements for setting large format tiles, ANSI A 108.2 section 4.3.8. Using a leveling system can improve the installation of this product.

# **12 x 24 Patina Deco** (MCAO/1224P)



The Patina Deco has a metallic look with abstract patterns that resemble tapestries woven in wire that come alive over time as the oxidation process alters the metal surface. It is a decorative with great scenic impact that is both dramatic and accessible.

Note: The Patina is cut from a larger size. It may be a slightly different size and thickness from field tile.



### **TECHNICAL INFORMATION - NATURAL FINISH**

| TECHNICAE IN ORMANOIS - NAIGNAE I MISH  |             |                      |   |   |            |
|---|-------------|----------------------|---|---|------------|
| Physical Properties                     | Norms       | Value                | Physical Properties                         | Norms                                     | Value      |
| Deep Abrasion<br>Resistance             | 10545-6     | <150 mm³<br>Conforms | Breaking Strength                           | 10545-4                                   | Conforms   |
| PEI - See "Deep Abrasion<br>Resistance" | ISO 10545-7 | N/A                  | Slip Resistance                             | DIN EN 16165<br>Annex A & B               | R10 A+B    |
| Water Absorption                        | 10545-3     | Conforms             | Dynamic Coefficient<br>of Friction (DCOF)** | BOT 3000E<br>STANDARD ANSI<br>A326.3:2022 | ≥ 0.42 Wet |
| Frost Resistance                        | 10545-12    | Resistant            |   |   |            |

<sup>\*\*</sup> These results are for the natural finish and for the normal productions; if there is concern about a particular production, it should be tested. The Dynamic Coefficient of Friction is a general guide only. Testing may vary with different production runs and with differ ent testing labs.



MADE IN ITALY